08/930702

EXPRESS MAIL CERTIFICATE (37 CFR 1.10)

Label No. EM294858095US

International Application No.

(date)

I hereby certify that the attached papers and/or fee is being deposited with the United States Postal Service on the date shown below as "Express Mail Post Office to Addressee," bearing a Mailing Label Number as set forth above and in an envelope addressed to the Commissioner of Patents and Trademarks, Box PCT, Washington, D.C. 2023).

(Print Name)

International Filing Date

Docket CPW 50075/USw

Priority Date Claimed

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371

PC'	CT/GB96/00632 19 N	March 1996 (19.03.96)	4 April 1995(04.04.95); 27 February 1996(27.02.96)
	pplication No. (If Known) eona Hilda	_ Applicant(s) for DO/EO/	US (inventors) <u>WETZEL, Thierry; TAELMAN, Marie</u>
Title of I	Invention: SURFACTANT COM	1POSITIONS	
Applican informati		d States Designated/Elected C	Office (DO/EO/US) the following items and other
1. <u>X</u>	This is a FIRST submission of ite	ems concerning a filing under	35 U.S.C. 371.
2	This is a SECOND or SUBSEQU	JENT submission of items co	ncerning a filing under 35 U.S.C. 371.
3			dures (35 U.S.C. 371(f) at any time rather than delay t in 35 U.S.C. 371(b) and PCT Articles 22 and 39(I).
4. <u>X</u>	A proper Demand for Internation priority date.	al Preliminary Examination v	vas made by the 19th month from the earliest claimed
5. <u>X</u>	b. X has been transmitted by	(required only if not transmit the International Bureau.	1(c)(2)). tted by the International Bureau). S. Receiving Office (RO/US)
6	A translation of the International	Application into English (35	U.S.C. 371(e)(2)).
7. <u>X</u>	a are transmitted herewith b have been transmitted b	h (required only if not transmoy the International Bureau.	der PCT Article 19 (35 U.S.C. 371(c)(3)) nitted by the International Bureau).
	d. X have not been made and	d will not be made.	
8	A translation of the amendments	to the claims under PCT Arti	cle 19 (35 U.S.C. 371(c)(3)).
9	An oath or declaration of the inve	entor(s) (35 U.S.C. 371(c)(4)).
10	A translation of the annexes to the 371(c)(5)).	e International Preliminary E	xamination Report under PCT Article 36 (35 U.S.C.

Items 11.	An Information Disclosure Statement under 37 CFR 1.97 and 1.98.	
12	An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 a	nd 3.31 is included.
13. <u>X</u>	A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment.	
14	A substitute specification.	
15	A change of power of attorney and/or address letter.	
16	Other items or information.	
17.	FEE CALCULATION	
	Basic National Fee (37 CFR 1.492(a)(I)-(5):	
	(a) Neither Search Report nor International Preliminary Examination prepared by the USPTO: i. and filed without a search report from EPO or JPO ii. but a Search Report has been prepared by the EPO or JPO	\$1070.00 \$930.00
	 (b) Search Report has been prepared by USPTO: i. but not the International Preliminary Examination ii. and the International Preliminary Examination 	\$790.00 \$7 2 0.00
	(c) International Preliminary Examination Report prepared by USPTO <u>and</u> all claims satisfy PCT Art. 33(2) & (4) (i.e. the claims are <u>not</u> anticipated nor obvious in view of the cited	art) \$ 98.00
BAS	SIC National Filing FEE from above \$930.00	
Inde	CLAIMS AS FILED, LESS ANY CANCELED BY AMENDMENT NOTED ABOVE. al Claims $\underline{23} - 20 = \underline{3} \times \$22 = \underline{\$} \underline{66.00}$ ap. Claims $\underline{6} - 3 = \underline{3} \times \$82 = \underline{\$} \underline{246.00}$ tiple dependent claims(s) If any, add \$270	
ТОТ	TAL NATIONAL FILING FEE	<u>\$ 1242.00</u>
Fees	for filing (a) and/or (b) beyond 20 months or 30 months (which ever is applicable) (a) \$130.00 surcharge for late filing of oath or declaration (b) \$130.00 processing fee for late filing of English translation of application \$	
Othe	er (Specify)	<u>\$</u>
тот	TAL FEE	<u>\$ 1242.00</u>

18. PAYMENT OF FEES

X The **TOTAL FEE** should be charged to Deposit Account No. 09-0011. The Commissioner is hereby authorized to charge any fees under 37 CFR 1.16 and 1.17 which may be required by this paper or during the entire pendency of this application or to credit any overpayment to Deposit Account No. 09-0011. This sheet is enclosed in <u>duplicate</u>.

CORRESPONDENCE 19.

- <u>X</u> Address all future correspondence to: a. Patent & Trademark Administrator ICI Americas Inc.- Law Department Concord Plaza P.O. Box 15391 3411 Silverside Road Wilmington, DE 19850-5391
- b. <u>X</u> Direct all telephone calls to Attorney for Applicant as set forth at the bottom of this paper.

Respectfully submitted,

John F. Daniels, III
Reg. No. 34,314
Attorney for A Attorney for Applicant(s) ICI AMERICAS INC.

(302) 887-3727

JFD:sjm P&TCOR\jfd\50075801.sam

Ļ 13

77 Rec'd PCT/FTC 010CT1907 08 / 930702

EXPRESS MAIL CERTIFICATE (37 CFR 1.10)

Label No. EM294858095US

Docket CPW 50075/USw

I hereby certify that the attached papers and/or fee is being deposited with the United States Postal Service on the date shown below as "Express Mail Post Office to Addressee," bearing a Mailing Label Number as set forth above and in an envelope addressed to the Box PCT, Assistant Commissioner for Patents, Washington, D.C. 20231.

2000 1,1977 (date)

Susan J. Mixon

(Print Name)

(Signature)

IN THE UNITED STATES RECEIVING OFFICE (RO/US)

PCT/GB96/00632

19 March 1996 (19.03.96)

4 April 1995 (04.04.95) 27 February 1996(27.02.96)

International Appln. No.

International Filing Date

Priority Date Claimed

SURFACTANT COMPOSITIONS

Title of Invention

WETZEL, Thierry: TAELMAN, Marie Claire Leona Hilda Applicant(s)

BOX PCT Assistant Commissioner for Patents Washington, DC 20231

Dear Sir:

PRELIMINARY AMENDMENT

Prior to examination, please amend the above identified application as follows:

IN THE CLAIMS

Please amend the claims as follows:

Claim 3, line 1, delete "either" and "or claim 2" and delete "on" and replace with -- one --.

Claim 4, line 1, delete "any one of claims 1 to 3" and replace with -- claim 1 --.

Claim 8, line 1, delete "any one of claims 4 to 7" and replace with -- claim 6 --.

Claim 9, line 1, delete "any one of claims 4 to 8" and replace with -- claim 4 --.

Claim 10, line 1, delete "any one of claims 1 to 9" and replace with -- claim 1 --.

Claim 11, line 1, delete "any one of claims 1 to 10" and replace with -- claim 1 --.

Claim 12, line 1, delete "any one of claims 1 to 11" and replace with -- claim 1 --.

Claim 13, line 1, delete "any one of claims 1 to 11" and replace with -- claim 12 --.

Claim 15, line 1, delete "any one of claims 1 to 14" and replace with -- claim 1 --.

Claim 17, line 1, delete "any one of claims 1 to 16" and replace with -- claim 1 --.

Claim 20, line 1, delete "either" and "or claim 19" and at line 2, delete ": " and replace with -- . --.

REMARKS

These amendments are being made to eliminate multiple dependent claims. The fee for claims has been calculated accordingly.

Respectfully submitted,

Who F. Daniels

John F. Daniels, III Reg. No. 34,314

Attorney for Applicant

JFD:sjm P&TCOR\jfd\50075pa.sam

PCT/GB96/00632

- 1 -

Surfactant Compositions

This invention relates to surfactant compositions and in particular to surfactant compositions that contain foaming surfactants and emollient materials and to methods of making such compositions.

Surfactant compositions containing emollient materials are known, particularly in the form of personal care products notably shower gels, creaming foam bath products, shampoos, facial wash and body scrub products. Commercially these products, particularly the shower gel products, are often sold as so-called "2 in 1" products. Typically these materials are aqueous emulsions of emollient materials, usually an emollient oil, including one or more surfactant materials dispersed usually in the aqueous phase, but sometimes also in the oil phase. The intent is that the surfactant material(s) act as cleaning agents, and are usually chosen to produce a foaming creamy lather on dispersion into water in the skin or hair, particularly in use as shower gels, foaming cream bath products or shampoos, and the emollient acts to prevent evaporation of skin moisture by restoring the protective layer lost by removal of skin lipids by the detergent in the cleansing product, thus making the later use of a moisturising cream or milk unnecessary. Emollients, particularly emollient oils tend to be incompatible with the foaming surfactants, such as fatty alkyl ether sulphates and betaine surfactants that are commonly used in these products, indeed some emollient oils can act as antifoams. Products that show foaming surfactancy, stability in storage and emollient properties usually have to be carefully formulated and the choice and proportions of the constituents is usually critical. The order of process steps is also often critical to success, particularly as the use of high energy mixing in the presence of highly foaming surfactants is likely to give uncontrolled foaming during processing. The specific formulations and processes that are required to achieve a stable product make for difficulty for manufacturers in developing products as the process needs to be developed separately for each product and makes manufacturing and inventory logistics complicated as there may be little in common in formulation between products that are otherwise ostensibly similar.

The present invention is based on our discovery that the manufacture of such products can be greatly simplified by the use of a pre-formed surfactant dispersion containing surfactant materials, especially mild surfactant materials, fatty amphiphile and optionally but very desirably hydrocolloid either as a dispersion in water, or and very desirably as a solid mix which can then be dispersed in water. When the pre-formed surfactant dispersion is a solid mix, an emollient can be included in the composition either by addition to the aqueous phase before addition of the (solid) surfactant dispersion or added to the water (or the water added to it) at the same time or after addition of the surfactant dispersion. This provides great flexibility in manufacturing processes. We believe that some of the products that can be made by our new simplified process are in themselves new, although products can be made that have compositions that are the same as or similar to known 2 in 1 products that are commercially available.

ij

U

(j

The present invention accordingly provides, in a first product aspect, a stable aqueous foaming surfactant dispersion which comprises:

from 5 to 50 weight % of a surfactant composition comprising at least one foaming surfactant, at least one fatty amphiphile and optionally, but very desirably, at least one hydrocolloid; and from 50 to 95 weight % of water.

- 2 -

The invention also includes, in a second product aspect, a stable aqueous foaming dispersion of a surfactant comprising at least one foaming surfactant, particularly including at least one anionic surfactant, at least one fatty amphiphile and optionally, but very desirably, at least one hydrocolloid, the dispersion also including emulsified therein at least one emollient.

As well as the products the invention includes methods of making surfactant compositions containing emollients and accordingly the present invention provides in a first process aspect a method of making a stable aqueous foaming surfactant dispersion, which comprises dispersing in water, a preformed substantially uniform solid surfactant composition comprising at least one foaming surfactant, at least one fatty amphiphile and optionally, but very desirably, at least one hydrocolloid; in weight proportions to give a composition containing from 5 to 50 weight % of the surfactant composition and from 50 to 95 weight % of water.

The invention further includes in a second process aspect, a method of making a stable aqueous foaming surfactant dispersion, which comprises forming an aqueous dispersion of a surfactant composition comprising at least one foaming surfactant, at least one fatty amphiphile and optionally, but very desirably, at least one hydrocolloid; and subsequently dispersing therein at least one emollient.

The invention specifically includes three variations on the basic process using a pre-formed solid surfactant blend of surfactant, fatty amphiphile and hydrocolloid:

- A method of making a stable aqueous foaming surfactant dispersion, which comprises mixing (i) from 5 to 50 parts by weight of a pre-formed solid surfactant blend, containing surfactant, fatty amphiphile and hydrocolloid, with the emollient, and optionally other components, adding from 50 to 95 parts by weight of water at a temperature of from 60 to 90°C, particularly 70 to 90°C, homogenising the mixture to disperse the surfactant blend and emulsify the emollient.
- (ii) A method of making a stable aqueous foaming surfactant dispersion, which comprises dispersing from 5 to 50 parts by weight of a pre-formed solid surfactant blend, containing surfactant, fatty amphiphile and hydrocolloid, in from 50 to 95 parts by weight of water at a temperature of from 60 to 90°C, particularly 70 to 90°C, homogenising the mixture to disperse the surfactant blend and subsequently adding an emollient to the dispersion.
- A method of making a stable aqueous foaming surfactant dispersion, which comprises adding (iii) from 50 to 95 parts by weight of water at a temperature of from 60 to 90°C, particularly 70 to

- 3 -

90°C to from 5 to 50 parts by weight of a pre-formed solid surfactant blend, containing surfactant, fatty amphiphile and hydrocolloid, homogenising the mixture to disperse the surfactant blend and subsequently adding an emollient to the dispersion.

As is indicated above, the products of and made by the method of the invention are particularly intended for use as personal care products, especially as shampoos and shower gels and the invention specifically includes products of the invention in the form of a shampoo or a shower gel and the use of products of or made by the method of the invention as shampoos or shower gels.

The foaming surfactant can be or include an anionic, non-ionic, or amphoteric surfactant materials. Suitable anionic types of surfactant include alkyl sulphates, such as lauryl, oleyl and stearyl sulphates, alkyl sulphonates, alkyl ether sulphates, alkyl glycerol ether sulphonates, alkyl phosphate esters, ethoxylated alkyl phosphate esters, sarcosinates, taurate derivatives, alkyl sulphoacetates, hydroxyalkyl sulphonate esters, such as isethionate esters, particularly of fatty carboxylic acids, for example cocoyl isethionic acid, lauryl isethionic acid and stearyl isethionic acid (usually used as the sodium salt), alkyl sulphosuccinates, such as sodium and/or potassium lauryl, oleyl and stearyl sulphosuccinates, alkyl sulphosuccinamates, and acyl glutamates. Such anionic surfactants are usually used as metal, usually alkali metal especially sodium or potassium, ammonium or ethanolamine salts. The alkyl chains in such surfactants are typically C_{12 to 20}, more usually C_{14 to 18} chains. Suitable non-ionic types of surfactant include alkyl polysaccharides especially alkyl polyglucosides, sorbitan ester alkoxylates, and glucamide surfactants. Suitable amphoteric surfactants include betaine derivatives, imidazoline derivatives, and fatty amphoacetates, particularly coco-amphoacetates. The surfactants may also include soaps, particularly fatty acid alkali metal soaps such as sodium and/or potassium stearate.

As used in personal care products, it may be desirable to include mild surfactants. Foaming anionic surfactants are usually used as alkali metal salts of acidic groups and if the acid group is a relatively weak acid the salt will give an alkaline mixture in water that can be aggressive to the human skin. To reduce the aggression of the surfactant, it is desirable to use anionic surfactants where the hydrophile is the anionic residue of a relatively strong acid group, usually a sulphate or more usually a sulphonate group. Typical examples of such surfactants include esters of carboxylic acids including fatty, particularly C_{8 to 20} alkyl, substituents with hydroxyalkylsulphonic acids such as isethionic acid (2-hydroxyethane sulphonic acid; HO.CH₂.CH₂.SO₃H), as salts, usually alkali metal salts, particularly sodium salts of C_{12 to 20} carboxylic isethionates, especially sodium cocoylisethionate. Combinations of isethionate surfactants and sulphosuccinate surfactants, for example approximately equal proportions of sodium cocoyl isethionate and sodium sulphosuccinate, give particularly good results. Such mild surfactants can be used alone or in combination with other (more harsh) surfactants, but such mixtures will have intermediate mildness properties.

The use of such mild surfactants is an important feature of the invention such that it forms a specific part of the invention so that the first product aspect of the invention accordingly includes: a stable aqueous foaming surfactant dispersion which comprises:

from 5 to 50 weight % of a surfactant composition comprising at least one fatty isethionate foaming surfactant, optionally but desirably at least one sulphosuccinate salt, at least one fatty amphiphile and optionally, but very desirably, at least one hydrocolloid; and from 50 to 95 weight % of water;

and the second product aspect of the invention accordingly includes a stable aqueous foaming dispersion of a surfactant comprising at least one fatty isethionate foaming surfactant, optionally but desirably at least one sulphosuccinate salt, at least one fatty amphiphile and optionally, but very desirably, at least one hydrocolloid, the dispersion also including emulsified therein at least one emollient oil.

In these mild surfactant based products, the surfactant is desirably mainly or predominantly a mild surfactant, in particular, at least 50%, desirably at least 75% and especially at least 90%, by weight of the surfactant is a mild surfactant, particularly an alkyl sulphonate and/or a fatty isethionate. This again forms a specific aspect of both the first and second product aspects of the invention.

The term "fatty amphiphile" refers to compounds which are normally insoluble in water and include a fatty chain, usually an alkyl chain, and a polar hydrophilic group. The polar hydrophilic group is not such as to give the compound water solubility, although it will generally assist in making the compound dispersible in water, and the compound is not sufficiently hydrophilic as to act as an effective surfactant in the system; in other words any contribution to surfactancy is small in comparison to the effect of the foaming surfactant. Suitable materials include fatty alcohols, particularly $C_{8 \text{ to } 24}$, especially $C_{14 \text{ to } 20}$ fatty alcohols such as stearyl alcohol, for example as tallow alcohol and also as commercially available under the technical descriptions cetostearyl alcohol or cetearyl alcohol; fatty acids, particularly $C_{8 to 24}$, especially $C_{14 to 20}$ fatty acids such as stearic acid; glyceride fatty esters, particularly mono-, di- and tri- glycerides of C_{8 to 24}, especially C_{14 to 20} fatty acids such as glyceryl mono- and di- stearate, laurate, palmitate and similar materials; and esters of fatty acids, particularly C_{8 to 24}, especially C_{14 to 20} fatty acids such as lauric and stearic acid, with polyhydric alcohols such as sorbitan, such as sorbitan laurate. As with fatty alcohols, other fatty amphiphiles (and, of course other components of the system) are commonly available and will be used as mixtures of materials e.g. from a natural source, a distillation cut during manufacture or deliberately blended to give a mixture. Although the role of the fatty amphiphile is not fully understood, it appears to contribute to structure in the aqueous phase of the system (even though itself it may not be in solution in the water) and thus to enhance the dispersion of the components of the system.

- 5 -

The hydrocolloid is a hydrophilic material that can be colloidally dispersed in the aqueous system. Typically such materials can be organic or inorganic materials. Organic hydrocolloids are usually polymers of monomers including hydrophilic groups and suitable examples include starch e.g. com starch and wheat starch, modified starches e.g. partly etherified starches, or dextrins, guar, modified guar and similar polysaccharides, modified celluloses such as carboxyalkyl, especially carboxymethyl, celluloses, xanthan gums, hydrophilic carbomer polymers polyacrylamides, polyvinyl alcohol, polyvinylpyrrolidone, polyacrylates and very high molecular weight polyethylene glycol. Inorganic hydrocolloids are usually oxides with hydrophilic surfaces and suitable examples include water dispersible bentonite clays and aluminium silicates. The hydrocolloid seems to act as an aqueous phase viscosifier, rheology modifier and hydrophilic structurant. We have found that the hydrocolloid can give a marked improvement in the stability of the dispersed products, especially on extended storage or storage at relatively high temperatures (as accelerated storage tests - but akin to normal user storage in bathrooms). In compositions containing hydrocolloids, we have had no difficulty in achieving compositions stable to cycle testing for 3 months in the cycle: 50°C / 40°C / ambient temperature / -5°C and for 1 month in the cycle -5°C / 40°C (12 hours / 12 hours). In referring to stable compositions herein, we refer to compositions that meet these stability testing standards.

The emollient is included in the formulation to improve the skin feel and moisturising or conditioning properties of the overall formulation. The emollient can and usually will be an oily material which is liquid at ambient temperature. Alternatively it can be solid at ambient temperature, in which case in bulk it will usually be a waxy solid, provided it is liquid at an elevated temperature at which it can be included in and emulsified in the composition. As is described below manufacture of the composition usually uses temperatures up to 100°C so such solid emollients will have melting temperatures of less than 100°C and usually less than 70°C. Suitable normally liquid emollient oils include non-polar oils, for example mineral or paraffin, especially isoparaffin, oils, such as that sold by ICI Surfactants as Arlamol HD, or polar oils, for example vegetable glyceride oils, animal glyceride oils, such as that sold by ICI Surfactants as Arlamol M812 (caprylic/capric triglyceride), synthetic oils, for example synthetic ester oils, such as those sold by ICI Surfactants as Arlamol IPM and Arlamol DOA, or silicone oils. such as dimethicione oil, or silicones having polyoxyalkylene side chains to improve their hydrophilicity. Suitable emollient materials that can be solid at ambient temperature but liquid at temperatures typically used to make the compositions of this invention include jojoba wax, tallow and coconut wax/oil. Mixtures of emollients can and often will be used and in some cases solid emollients may dissolve wholly or partly in liquid emollients. Where the emollient is a solid at ambient temperature, the resulting dispersion may technically not be an emulsion (although in most cases the precise phase of the oily disperse phase cannot readily be determined) but such dispersions behave as if they were true emulsions and the term emulsion is used herein to include such compositions.

From the discussion above, it can be seen that some materials can fall within the definition of both emollient oil and the fatty amphiphile. We believe that it is for this reason that compositions

- 6 -

containing fatty amphiphile can give creamy dispersions in water, that foam readily and have good skin feel and seem to be emollient, even when no emollient oil is specifically added to the composition. Fatty alcohols, such as stearyl alcohol, and acids and mono- and di-glycerides are fatty amphiphiles that can also act as emollients.

In the formulations of and made by the methods of the invention, the intent is to form creamy emulsions having good skin feel. We have found that such emulsions typically have swollen surfactant bilayers which wholly or partly enclose the particles or droplets of the disperse phase. This sort of morphology seems to be found in emulsions that give a creamy skin feel and are stable. The presence of such bilayers has been shown to improve moisturising and skin conditioning properties.

The formulations for the invention can have visocsities appropriate for personal care compositions ranging from milks and lotions to creams. Thus the dispersions of the surfactant, fatty amphiphile and hydrocolloid (when present) in water typically have viscosities of the following order for dispersions in water at the stated percentages:

Concentration (% by wt.)	25	30	35	40
Viscosity (Pa.s)	2	45	60	500

The major components of the compositions of and made by the methods of the invention are typically present in the following proportions (parts by weight):

material	broad range	usual range	typical values
surfactant	10 - 60	30 - 55	about 50
fatty amphiphile	5 - 30	10 - 25	about 15
hydrophillic colloid	0 - 35	15 - 30	about 25
emollient oil	0 - 30	10 - 25	about 20

In formulations of and made by the invention, the proportion of water is in the range 50 to 95% based on the combined weights of water, surfactant, fatty amphiphile and hydrocolloid (when present). Within this range, the amount of water is typically from 55 to 95, more usually 60 to 80% by weight with corresponding proportions of combined surfactant, fatty amphiphile and hydrocolloid (when present).

Other materials that can be included in the compositions include the materials set out below:

Lubricants and/or humectants particularly polyols such as glycerol, sorbitol, propylene glycol, butylene glycol, polyoxyethylene sorbitol, polyoxyethylene glycerol esters, polyethylene glycol (PEG) (particularly liquid PEG's up to PEG 400) and polyoxyethylene methyl glucoside. Such materials act in the final compositions as humectants and antifreeze components and can improve the skin feel of the products. They can also give a process advantage as they can act as lubricants in solid surfactant compositions which can be used as intermediate materials in

- 7 -

the process of this invention. This can make manufacture of the solid surfactant composition easier and make the solid formulation more uniform.

Disperse phase structurants, such as water dispersible waxes for example vegetable and animal derived waxes, such as beeswax, synthetic waxes and mineral or petroleum waxes. The structurant will typically be used in an amount of about 1 to about 10%, more usually from about 2 to about 8%, particularly about 2 to about 6% of a preformed surfactant blend, and typically in an amount of about 0.2 to 4%, more usually about 0.5 to about 2%, for example about 0.5 to about 1% by weight, of an aqueous dispersion of the invention.

Fillers, pigments, dyes and optical brighteners, such as titanium dioxide; polyquaternary ammonium compounds as conditioning agents; perfumes, fragrances and/or, essential oils; water and/or oil soluble vitamins or derivatives or precursors; antioxidants and/or preservatives (typically in an amount of up to ca 1%); pearlescing agents; peeling and/or scrub agents; plant extracts, particularly water soluble plant extracts; hydroxy-, particularly alpha-hydroxy, and/or polyunsaturated acids; phospholipids; proteins and/or amino acids and/or derivatives; electrolytes; NMF (natural moisturising factor); foam boosters and/or stabilisers e.g. monoand/or di-ethanolamides and/or amine oxides; and sucrose ester derivatives.

The products of this invention can be made by a variety of methods. Generally the methods involve dispersion of the surfactant in water which is typically at elevated temperature, usually from of from 60 to 100°C, particularly 70 to 90°C, more usually from 75 to 95°C. We have found that there can be considerable flexibility in the order of addition of the various components, especially where the surfactant, fatty amphiphile and, where used, hydrocolloid are in the form of a pre-formed solid surfactant blend, which is typically used in the form of flakes. For convenience, oily components of the formulation e.g. the emollient and other oil soluble materials are pre-mixed to form an oily component, similarly the water soluble materials components are pre-mixed to form a water soluble component. Generally perfumes are kept separate from these components as they are added separately to the product at relatively low temperatures, typically below 40°C e.g. about 35°C, to avoid undue loss by volatilisation.

In a first such method, the surfactant blend, the oily component and the water soluble component are mixed and then the water is added to them, typically at a temperature of from 60 to 90°C, particularly 70 to 90°C, e.g. about 80°C, and the mixture stirred at the elevated temperature, to make it uniform. For this, moderate stirring e.g. using a paddle stirrer at 250 to 500 rpm (ca 4 to 8.5 Hz) for typically 10 to 15 minutes, seems satisfactory. The mixture is then stirred more vigorously at the elevated temperature to emulsify the oily component. For this stirring using a rotor-stator mixer (on a laboratory scale an Ultra Turrax stirrer has proved satisfactory) at from 6000 to 12000 rpm (100 to 200 Hz) e.g. ca. 9000 rpm (150 Hz), for from 30 seconds to 3 minutes, typically about 1 minute, has

- 8 -

proved sufficient. Subsequently, the mixture is cooled to ambient temperature, usually under gentle stirring, and the perfume, if any, added when the temperature is about 35°C.

In a second such method, hot water (typically at a temperature of from 60 to 100°C, particularly from 75 to 95 °C e.g. at about 90°C, is added to the surfactant blend, the mixture is stirred as described above to make it uniform and then more vigorously to homogenise it. The oily component and the water soluble component are added after homogenisation, during subsequent cooling under gentle stirring to ambient temperature (adding any perfume at about 35°C), or after the mix has cooled to ambient temperature provided that the oily components are liquid at the temperature they are added to the mixture. Desirably, the water soluble components are also liquid at the addition temperature (or are added as an aqueous solution). It seems that even gentle stirring of the oily component into the homogenised surfactant blend in water can give a well dispersed emulsion of the oily component in the aqueous mix.

In a third such method, the surfactant blend is added to hot water, typically at a temperature of from 60 to 90°C, particularly 70 to 90°C, e.g. about 80°C, and the mixture is stirred as described above to make it uniform and then more vigorously to homogenise it. The oily component and the water soluble component are added after homogenisation, during subsequent cooling under gentle stirring to ambient temperature (adding any perfume at about 35°C), or after the mix has cooled to ambient temperature the oily components are liquid when added at the temperature they are added to the mixture. Desirably, the water soluble components are also liquid at the addition temperature (or are added as an aqueous solution). It seems that even gentle stirring of the oily component into the homogenised surfactant blend in water can give a well dispersed emulsion of the oily component in the aqueous mix.

Uses for the compositions of and made by the method of the invention include: 2 in 1 shower formulations, in effect combining a shower gel type surfactant formulation and a body milk or cream; foaming cream bath formulations; cream shampoos; make-up remover liquid or cream, liquid emulsion for impregnating make-up remover tissues; creamy hand soap formulations; facial cleanser formulations; foaming face cream formulations; scrub/peeling cream, especially for use on the face. In such end uses the compositions used according to this invention will usually and advantageously be based on mild surfactants as is described above and the use of mild surfactants in these end uses and in formulations for such end uses forms a specific subsidiary aspect of this invention.

- 9 -

The following Examples illustrate the invention. All parts and percentages are by weight unless otherwise stated.

Materials

Surfactant Blends (SB) -

these are pre-formed flaked solid blends containing surfactant, fatty amphiphile and hydrocolloid in the amounts indicated for the particular blends given below. The particular blend used in the Examples are abbreviated SBA, SBB and SBC.

SBA a surfactant blend having the following composition by weight:

Material	parts by weight
sodium cocoyl isethionate	5
sodium lauryl sulphosuccinate	5
betaine surfactant	0.3
stearyl alcohol	3
structurant wax	0.5
corn starch	5
humectant, pigment etc.	1.5

SBB a surfactant blend having the following composition by weight:

parts by weight
6.5
6
0.3
3.7
1.2
5
2

SBC a surfactant blend having the following composition by weight:

Material	parts by weight
sodium cocoyl isethionate	6.5
sodium lauryl sulphosuccinate	6
betaine surfactant	0.3
tallow alcohol	3.7
structurant wax	1.2
starch	5
humectant etc.	2

Arlamol 812

Caprylic/capric triglyceride emollient ex ICI Surfactants

Arlamol HE

PEG-7 glyceryl cocoate ex ICI Surfactants

Arlamol HD

Isoparaffin (isohexadecene) emollient ex ICI Surfactants

Arlamol POA8

Polydecene emollient ex ICI Surfactants

Ariamol DOA

Dioctyladipate emollient ex ICI Surfactants

Arlamol E

Polypropylene glycol stearyl ether emollient ex ICI Surfactants

Arlamol F04/G50

perfluoropolymethylisopropylether in glycerine ex ICI Surfactants

Germaben II

Preservative ex Sutton Laboratories

- 10 -

Florabeads Jojoba Wax Beads ex Floratech (emollient solid at ambient temperature)

Fiorasun 90 sunflower oil ex Fioratech
Keltroi F Xanthan Gum ex Kelco

Polymer JR125 Polyquaternary ammonium polymer as conditioner, ex Union Carbide

Silicone Oil Dimethicone a silicone oil having a stated viscosity of 100 mPa.s.

Brij 72 stearyl alcohol 2EO derivative ex ICI Surfactants

Brij 721 stearyl alcohol 21EO derivative ex ICI Surfactants

Laurex CS fatty alcohol (mainly stearyl alcohol) ex Marchon

Tensiomild HM 935 ethoxylated lauryl alcohol sulphosuccinate ester disodium salt ex Hickson

Manro

Tegobetain L7 cocamidopropylbetaine ex Goldschmidt

Atlas G-1823 solublised PEG 6000 distearate ex ICI Surfactants

Atlas G-2330 sorbitol 30EO derivative ex ICI Surfactants

Arlatone 2121 a blend of sorbitan stearate and sucrose cocoate ex ICI Surfactants

Arlatone 1489 decyl glucoside and sodium cocoylisethionate in water ex ICI Surfactants

Clearam CH 40 esterified waxy maize starch ex Roquette

Glucidex V17 sodium carboxymethyl starch ex Roquette

Glucidex V17 sodium carboxymethyl starch ex Roquette

Guar C261 N Cosmedia Guar C261 N - Guar hydroxypropyltrimonium chloride ex Henkel

Test Methods

Viscosity measurements on formulations were made using a Brookfield LVT viscometer at 25°C, 6 rpm (0.1 Hz) and a spindle (from types A to F); values are quoted in Pa.s.

Manufacturing Examples

The manufacturing methods described below all use four components:

- 1 the surfactant blend SBA as described above (SB)
- 2 the oil soluble additives (OSA) the emollient and any other oil soluble materials
- 3 the water soluble additives (WSA) such as additional hydrocolloid e.g. xanthan
- 4 water (distilled water was used in the Examples below)

The amounts used vary depending on the product being produced and are indicated below in the Formulation Examples. The methods use a mixing vessel for the main method steps.

Manufacturing methods

Method I: (400 g to 2 kg batch scale)

- 1 the water is heated to 90°C;
- 2 the surfactant blend, the oil soluble additives and the water soluble additives are weighed into the mixing vessel;

- 11 -

- The water is added to the mixture in the mixing vessel under moderate stirring, about 250 to 500 rpm (ca. 40 to 80 Hz) keeping the temperature at about 80°C. The stirring is continued for 10 to 15 min. until a uniform dispersion is obtained;
- The mixture is homogenised at 80°C by stirring with a rotor/stator type mixer (Ultra-Turrax) at about 9000 rpm (150 Hz) for about 1 minute;
- 5 The mixture is cooled to ambient temperature under gentle stirring;
- during cooling the perfume is added to the emulsion when the temperature is about 35°C.

 In a minor variation of this method, the homogenisation step is carried out immediately before cooling.

Method 2: (400 g to 2 kg batch scale)

- 1 Hot water at 90°C is added to the surfactant blend in the mixing vessel
- the mixture is stirred (at about 250 to 500 rpm) keeping the temperature at about 80°C for 10 to 15 min. until a uniform dispersion is obtained;
- The mixture is homogenised at 80°C by stirring with a rotor/stator type mixer (Ultra-Turrax) at about 9000 rpm for about 1 minute;
- 5 The mixture is cooled to ambient temperature under gentle stirring;
- before during or after cooling the oil soluble additives and the water soluble additives are added as liquids to the mixture (under gentle stirring);
- during cooling the perfume is added to the emulsion when the temperature is about 35°C.

Method 3: (400 g to 2 kg batch scale)

- The surfactant blend (as flakes) is added to hot water at 80°C in the mixing vessel under moderate stirring (at about 250 to 500 rpm) keeping the temperature at about 80°C for 10 to 15 min. until a uniform dispersion is obtained:
- The mixture is homogenised at 80°C by stirring with a rotor/stator type mixer (Ultra-Turrax) at about 9000 rpm for about 1 minute;
- 3 The mixture is cooled to ambient temperature under gentle stirring;
- before during or after cooling the oil soluble additives and the water soluble additives are added as liquids to the mixture (under gentle stirring);
- during cooling the perfume is added to the emulsion when the temperature is about 35°C.

Formulation Examples (FE1 to FE7)

These Examples give the percentages (w/w) of materials used to make the products referred to. Any of the methods described above can be used for any of the Formulation Examples FE1 to 7.

- 12 -

Formulation Example 1: "2-in-1" shower gel + body milk

Material		%(w/w)
SB	SBA	30.0
OSA	Ariamol M812	5.0
	Arlamol HE	3.0
WSA	Germaben II	1.0
Water		to 100

This product has a viscosity of 30 Pa.s

Formulation Example 2 : "2-in-1" shower gel + body milk

Material		%(w/w)
SB	SBA	35.0
OSA	Silicone oil	5.0
WSA	Germaben II	1.0
Water		to 100

This product has a viscosity of 60 Pa.s

Formulation Example 3: Foaming cream bath

Material		%(w/w)
SB	SBA	25.0
OSA	Arlamol HE	5.0
WSA	Germaben II	1.0
Water		to 100

This product has a viscosity of 20 Pa.s

Formulation Example 4 : Foaming scrub cream for face and body

Material		%(w/w)	
SB	SBA	35.0	
OSA	Florabeads	5.0	
WSA	Germaben II	1.0	
Water		to 100	

This product has a viscosity of 60 Pa.s

Formulation Example 5: Liquid make-up remover

Material		%(w/w)
SB	SBA	20.0
OSA	Arlamol HD	5.0
WSA	Keltrol F	0.3
	Germaben II	1.0
Water		to 100

This product has a viscosity of 5 Pa.s

- 13 -

Formulation Example 6: Foaming face cream

Material		%(w/w)
SB	SBA	35.0
OSA	Arlamol HD	2.0
WSA	Germaben II	1.0
Water		to 100

This product has a viscosity of 40 Pa.s

Formulation Example 7 : Conditioning cream shampoo

Material		%(w/w)
SB	SBA	30.0
OSA	Polymer JR125	0.1
WSA	Germaben II	1.0
Water		to 100

This product has a viscosity of 35 Pa.s

Formulation Examples 8 to 15

The formulations of Formulation Examples FE8 to FE15 were made up using, in three samples of each Example, a at 25%, b at 33% and c at 38% of SBB, including 0.2% Keltrol and 3% of various Emolients/Oils (with water to 100%) by dispersing the SBB in the water at about 80°C under stirring and then adding Keltrol and then the oil to give the formulations summarised in Table 1 below. Table 1 includes the viscosity of the oils used (OV) measured at ambient temperature [Brookfield viscometer, spindle 1 at speed 12 - 60 s for FE's 8 to 14 and 6 - 60 s for FE 15, values in mPa.s] and oil/water Interfacial tensions (IT) [measured by a Krüss tensiometer or from the supplier's literature, values in mN.m⁻¹]. The viscosity of each of the three formulations of FE's 8 to 15 was measured 1 day and 1 month after the formulation was made up. The storage stability of the formulations was also measured after storage at ambient temperature (Amb), 5°C, 40°C and 50°C. Quantitative viscosity and storage stability testing data are included in Table 1 below.

Formulation Examples 16 and 17

The surfactant blend can be used flexibly to make a variety of different end products. To illustrate this two products were made by mixing 10% of one of two oil-in-water emulsion creams into an aqueous mix of SBB (35%), preservative (as required, typically ca 1%) and water (to 100% overall). The products were made by heating the water to 80°C adding the SBB (as flakes) with gradual stirring at 75 to 80° until the surfactant blend is homogeneously dispersed, the dispersion was cooled under gentle stirring to about 35°C and the oil-in-water emulsion cream was added.

The oil-in-water emulsion creams were, for FE16, an 'oleosome' cream of the composition:

- 14 -

Material		parts by w
an oil phase made up of:		
Brij 72		3.0
Brij 721		2.0
Arlamol E		4.0
Arlamol HD		5.0
Laurex CS		1.0
Stearic Acid		1.5
Silicone Oil		1.0
dispersed in an aqueous phase of:		
propylene glycol		4.0
preservative (as required)	·	ca 1
water	to	100
also including		
perfume (Kalica 74519 ex Firmenich)		0.2

and, for FE17, a 'hydrosome' cream of the composition

Material	parts by wt
an oil phase made up of:	<u> </u>
Arlamol HD	10.0
Arlamol M812	4.0
Avocado Oil	2.0
Florasun 90	2.0
α-tocopheryl acetate	1.0
behenyl alcohol	2.0
antioxidant blend	0.1
dispersed in an aqueous phase of:	
Ariatone 2121	5.5
glycerol	4.0
preservative (as required)	ca 1
water to	100
also including	
xanthan gum	0.2
perfume (Bouquet Toujours 916.488 ex Fritzche Dodge and Olcott GmbH)	0.2

Formulation Examples 19 and 20

These Examples illustrate the addition of a surfactant blend (SBB) as used in the present invention to formulated products to act as an opacifier, provide additional emolliency, improve compatibility with oil in the formulation and/or act as a mildness agent.

FE19 (a and b) - Mild facial wash

90 or 95 parts by weight of an existing formulation for a mild facial wash having the following composition:

- 15 -

Material		parts by weight
Tensiomild HM 935		20.0
Tegobetain L7		10.0
Arlatone 1489		10.0
sodium chloride		0.1
Atlas G-1823		3.5
preservative (as required)		ca 1
water	to	100

was heated to about 75°C, 10 or 5 parts of surfactant blend SBB was dispersed in the formulation with gradual stirring and the product cooled to ambient temperature. The final formulation containing 5% SBB (FE 19a) has a viscosity of 25 Pa.s after 1 month (spindle E) and the final formulation containing 10% SBB (FE 19b) has a viscosity of 80 Pa.s after 1 month (spindle F). This laboratory scale preparation was repeated in a 5kg scale pilot plant run with similar successful results.

FE20 - Mild and moisturising cream shower formulation - A formulation having the composition:

Materia	l	parts by weight
Α	Florasun 90	4.0
	Atlas G-2330	2.0
	SBB	10.0
	Water (overall) to	100
В	Arlatone 1489	10.0
С	urea	1.0
	Alpantha	0.5
D	preservative (as required)	ca 1
	perfume (Belle Vue ex Firmenich)	0.3
E	Atlas G-1823	6.0

was made up by heating the phase A components to 80°C under gentle stirring until the mix was homogeneously dispersed, adding phase B with gentle stirring, cool under stirring, dissolving the phase C components in water and adding the perfume and preservative to the dispersion at about 35°C under gentle stirring, and finally adding the Atlas G-1823 under stirring. The final product has a viscosity after one month of about 20 Pa.s (spindle E). In this example, the SBB surfactant blend acts to compatibilise the surfactant and oil and microscopic examination of the product shows the oil dispersed as fine droplets in the surfactant blend.

Formulation Examples 21 to 24

These formulations are further Examples of surfactant formulations including surfactant blends as used in the invention.

FE21 - 2 in 1 Facial cleansing milk - A formulation having the composition:

- 16 -

Material			parts by weight
Α	Keltrol F		0.2
	Water	(overall) to	100
В	SBB	,	25.0
С	preservativ	ve (as required)	ca 1
	Arlamol F0		0.5

was made up by heating the water to about 80°C, dispersing the xanthan in the water under gentle stirring, adding the SBB under gentle stirring and maintaining the temperature at about 75 to 80°C until the mixture was homogeneously dispersed, adding the preservative and Arlamol emollient under gentle stirring and then cooling to ambient temperature under gentle stirring. The final product has a viscosity after one month of about 20 Pa.s (spindle E).

FE22 - 2 in 1 Shower cream - A formulation having the composition:

Material			parts by weight
A	Guar C261 N		0.3
• •	Water	(overall) to	100
В	SBB	•	35.0
C	preservative (as required)		ca 1
O	Arlatone 1489		2.0
D	Perfume (Blue Water ex D	ragocco)	0.3

was made up by heating the water to about 80°C, dispersing the modified guar in the water under gentle stirring, adding the SBB under gentle stirring and maintaining the temperature at about 75 to 80°C until the mixture was homogeneously dispersed, adding the preservative and Arlatone 1489 under gentle stirring and then cooling to ambient temperature under gentle stirring and adding the perfume when the temperature is about 35°C. The final product has a viscosity after one month of about 47 Pa.s (spindle E). This laboratory scale preparation was repeated in a 100kg scale pilot plant run with similar successful results.

FE23 - 2 in 1 Scrub formulation - A formulation having the composition:

Material			parts by weight
A	Keltrol F		0.2
•	Water	(overali) to	100
В	SBB	,	30.0
c	preservative	e (as required)	ca 1
D	Florabeads		5.0

was made up by heating the water to about 80°C, dispersing the xanthan in the water under gentle stirring, adding the SBB under gentle stirring and maintaining the temperature at about 75 to 80°C until the mixture was homogeneously dispersed, adding the preservative and then cooling to ambient temperature under gentle stirring and adding the scrub agent under gentle stirring at about 35°C. The final product has a viscosity after one month of about 36 Pa.s (spindle E).

FE24 - 2 in 1 wash formulation with vegetable oil - A formulation having the composition:

- 17 -

Material			parts by weight
Α	Keltrol F		0.2
	Water	(overall) to	100
В	SBB		31.0
С	preservativ	e (as required)	ca 1
	glycerine		2.0
D	Florasun 9	כ	2.0
	Perfume (E	Blue Water)	0.3

was made up by heating the water to about 80°C, dispersing the xanthan in the water under gentle stirring, adding the SBB under gentle stirring and maintaining the temperature at about 75 to 80°C until the mixture was homogeneously dispersed, adding the preservative and glycerine under gentle stirring and then cooling to ambient temperature under gentle stirring and adding the perfume and Florasun oil under gentle stirring at about 35°C. The final product has a viscosity after one month of about 28 Pa.s (spindle E). This laboratory scale preparation was repeated in a 5kg scale pilot plant run with similar successful results.

Formulation Example 25 (a and b)

This Example illustrates the inclusion of modified starches in formulated products. Formulations were made up having the following composition

Materia	al		parts by weight
Α	Modified Starch		2.0
	SBB		30.0
	Water	(overall) to	100
В	preservative (as required)		ca 1

by heating the water to about 80°C, dispersing the modified starch in the water under gentle stirring, adding the SBB under gentle stirring and maintaining the temperature at about 75 to 80°C until the mixture was homogeneously dispersed, adding the preservative under gentle stirring and then cooling to ambient temperature under gentle stirring. For these laboratory tests, emollient and perfume were not added but can be added to make a commercial product as described above. The particular materials used and results of viscosity and stability testing are given in Table 2 below (columns labelled "sp" indicate which viscometer spindle was used).

Formulation Example 26 (a to c)

This Example illustrates the use of modified starches in formulated products. Formulations were made up having the following composition

Material		parts by weight
SBC		30.0
preservative (as required)		ca 1
Water	(overall) to	100

by heating the water to about 80°C, dispersing the SBC in the water under gentle stirring at about 75 to 80°C until the mixture was homogeneously dispersed, adding the preservative under gentle stirring and then cooling to ambient temperature under gentle stirring. One sample was made up omitting

- 18 -

starch from the surfactant blend (adjusting amounts in the final formulation to compensate). For these laboratory tests, emollient and perfume were not added but can be added to make a commercial product as described above. The particular materials used and results of viscosity and stability testing are given in Table 2 below.

Formulation Example 27

Formulations FE 27 was made up as described in FE26 except that the hydrocolloid used in the SBC was a combination of 1.7 parts by weight of Clearam CH 40 and 3.3 parts by weight of wheat starch. The materials used and testing results are included in Table 2 below.

Formulation Example 28 (a to c)

These Formulations were made up as described in FE26 generally using wheat starch as the hydrocolloid with the following exceptions:

replacing the sodium cocoyl isethionate by an equal amount of sulphosuccinate FE 28a surfactant (the formulation used 12.5 parts by weight of Tensiomild HM 935).

the amount of structurant wax was increased to 2.4 parts by weight and the tallow alcohol FE 28b was reduced to 2.4 parts by weight.

the amount of tallow alcohol used was 4.8 parts by weight without any structurant wax. FE 28c The product of FE28b had a very good feel despite relatively high viscosity. Quantitative testing results for these Formulations are included in Table 3 below.

Formulation Example 29

A surfactant blend with the following composition was made up:

Material	parts by weight
sodium cocoyl isethionate	4
sodium lauryl sulphosuccinate	6
betaine surfactant	0.3
tallow alcohol	3.6
structurant wax	0.6
wheat starch	4
humectant etc.	2

A dispersed formulated product was made up from this surfactant blend as described in FE26. dispersion was very liquid and on preparation had a relatively low viscosity. The dispersion became somewhat more viscous after storage for 1 week.

Formulation Example 30

Formulation FE 30 was made up as described in FE26 except that the structurant wax used in the SBC in was replaced with an equal weight of glyceryl mono-stearate. The dispersion was very liquid having a relatively low viscosity.

- 19 -

Formulation Example 31 (a and b)

Surfactant blends with the following composition were made up:

Material	parts by weight				
	FE31a	FE31b			
sodium cocoyl isethionate	4	4			
sodium lauryl sulphosuccinate	6	6			
betaine surfactant	0.3	0.3			
tallow alcohol	3.6	3.6			
structurant wax	0.6	0.6			
wheat starch	-	5			
Guar C261 N	0.3	0.3			
humectant etc.	2	2			

Formulated dispersions in water FE31a and FE31b were made as described in FE26 (reducing the amount of FE31a to compensate for the absence of wheat starch). It appeared that the Guar contributed to the body of both formulations. The product without wheat starch was the more fluid at 40°C, but was still viscous at 50°C. Both formulations had very good skin feel.

Table 1

FE	Emolient/Oil		% SBA	Viscosity (Pa.s)		Storage stability (1 month)				
No	Material	Material OV IT			1 day	1 month	5°C	Amb	40°C	50°C
8a	Arlamol HD	38.6	3.0	25	2.4	18.0	+++	+++	+++	+++
8 b				33	20.0	48.0	+++	+++	+++	+++
8c				38	80.0	80.0	+++	+++	+++	+++
9a	Arlamol POA8	80.5	28.5	25	1.9	20.0	+++	+++	++(S)	+++
9b	1			33	21.0	32.0	+++	+++	++(S)	+++
9c				38	55.0	59.0	+++	+++	++(S)	+++
10a	Sunflower Oil	70.5	23.9	25	1.9	19.0	+++	+++	+++	+++
10b				33	36.0	67.0	+++	+++	+++	+++
10c	_			38	80.0	133.0	+++	+++	+++	+++
11a	Arlamol M 812	20.2	20.2	25	2.6	21.0	+++	+++	+++	+++
11b				33	64.0	86.0	+++	+++	+++	+++
11c				38	86.0	119.0	+++	+++	+++	+++
12a	Ariamol DOA	7.5	27.0	25	2.4	23.0	+++	+++	+++	+++
12b				33	50.0	66.0	+++	+++	+++	+++
12c				38	62.0	86.0	+++	+++	+++	+++
13a	Arlamol E	74.0	5.2	25	26.0	30.0	+++	+++	+++	+++
13b				33	55.0	44.0	+++	+++	+++	+++
13c				38	108.0	70.0	+++	+++	+++	+++
14a	Silicone Oil	350.0	12.7	25	1.9	25.0	+++	+++	+++	+++
14b				33	27.0	44.0	+++	+++	+++	+++
14c				38	39.0	78.0	+++	+++	+++	+++
15a	Glycerine	610.0	-	25	2.4	21.0	+++	+++	+++	+++
15b				33	21.0	41.0	+++	+++	+++	+++
15c				38	37.0	92.0	+++	+++	+++	+++

- 20 -

Table 2

FE	Modified Starch	Vis	cosit	y (Pa.s)		Storage stability (1 month)				
No		1 day	sp	1 month	sp	5°C	Amb	40°C	50°C	
25a	Clearam CH 40	41.3	Ε	53.0	F	+++	+++	+++	+++	
25b	Glycidex V17	40.6	E	45.2	E	+++	+++	+++	+++	
26a	no starch	1.2	Α	14.8	Ε	+++	+++	++(S)	+++	
26b	wheat starch	0.8	В	46.8	E	+++	+++	++(S)	+++	
26c	Clearam CH 40	10.1	E	126.4	F	+++	+++	+++	+++	
27a	Clearam CH 40 + wheat starch	13.1	В	49.9	E	+++	+++	++(S)	+++	

Table 3

FE	Composition notes	Viso	Viscosity (Pa.s)				Storage stability (1 month)			
No		1 day	sp	1 month	sp	5°C	Amb	40°C	50°C	
28a	sulphosuccinate but no SCI	87.3	F	>300	F	+++	+++	+++	+++	
28b	increased structurant wax	0.2	Α	50.7	E	+++	+++	++(S)	+++	
28c	no structurant wax	0.2	Α	31.2	E	+++	+++	0	0	

Key to Stability test data in Tables 1 to 3

- +++ Composition stable
- ++ minor separation (S) indicates slight synerisis
- + significant separation (S) indicates significant synerisis
- o the composition has substantially all separated.

- 21 -

Claims

- A stable aqueous foaming surfactant dispersion which comprises:
 from 5 to 50 weight % of a surfactant composition comprising at least one foaming surfactant,
 at least one fatty amphiphile and optionally at least one hydrocolloid; and
 from 50 to 95 weight % of water.
- A stable aqueous foaming dispersion of a surfactant comprising at least one foaming surfactant, particularly including at least one anionic surfactant, at least one fatty amphiphile and optionally at least one hydrocolloid, the dispersion also including emulsified therein at least one emollient.
- A dispersion as claimed in either claim 1 or claim 2 in which the surfactant is on or more of alkyl sulphates, alkyl sulphonates, alkyl ether sulphates, alkyl glycerol ether sulphonates, alkyl phosphate esters, ethoxylated alkyl phosphate esters, sarcosinates, taurate derivatives, alkyl sulphoacetates, hydroxyalkyl sulphonate esters, alkyl sulphosuccinates, alkyl sulphosuccinamates, and acyl glutamates.
- 4 A dispersion as claimed in any one of claims 1 to 3 which includes a mild surfactant.
- 5 A dispersion as claimed in claim 4 in which the mild surfactant is alkyl sulphonate and/or a fatty isethionate
- A stable aqueous foaming surfactant dispersion which comprises:
 from 5 to 50 weight % of a surfactant composition comprising at least one fatty isethionate
 foaming surfactant, optionally at least one sulphosuccinate salt, at least one fatty amphiphile
 and optionally at least one hydrocolloid; and
 from 50 to 95 weight % of water;
- A stable aqueous foaming dispersion of a surfactant comprising at least one fatty isethionate foaming surfactant, optionally at least one sulphosuccinate salt, at least one fatty amphiphile and optionally at least one hydrocolloid, the dispersion also including emulsified therein at least one emollient oil.
- A dispersion as claimed in any one of claims 4 to 7 which includes at least one sulphosuccinate salt and at least one hydrocolloid.
- A dispersion as claimed in any one of claims 4 to 8 in which the mild surfactant comprises at least 50% by weight of the surfactant in the dispersion.

- 22 -

- A dispersion as claimed in any one of claims 1 to 9 in which the fatty amphiphile is one or more of fatty alcohols, fatty acids, glyceride fatty esters, and esters of fatty acids with polyhydric alcohols.
- A dispersion as claimed in any one of claims 1 to 10 which includes a hydrocolloid which is one of more starch, modified starches or dextrins, guar, modified guar, modified celluloses, xanthan gums, hydrophilic carbomer polymers polyacrylamides, polyvinyl alcohol, polyvinylpyrrolidone, polyacrylates, very high molecular weight polyethylene glycol, water dispersible bentonite clays and aluminium silicates
- A dispersion as claimed in any one of claims 1 to 11 which includes an emollient which is at least on normally liquid emollient oils selected from mineral or paraffin oils vegetable glyceride oils, animal glyceride oils, synthetic ester oils, silicone oils and/or emollients which are solid at ambient temperature selected from jojoba wax, tallow and coconut wax and/or oil.
- A dispersion as claimed in any one of claims 1 to 11 in which the weight percentages of the ingredients (based on the total of these ingredients) fall within the following ranges: surfactant 10 to 60; fatty amphiphile 5 to 30; hydrophilic colloid-0 to 35; emollient oil 0 to 30.
- A dispersion as claimed in claim 13 in which the weight percentages of the ingredients fall within the following ranges: surfactant 30 to 55; fatty amphiphile 10 to 25; hydrophilic colloid 15 to 30; emollient oil 10 to 25.
- A dispersion as claimed in any one of claims 1 to 14 in which the proportion of water is in the range 50 to 95% based on the combined weights of water, surfactant, fatty amphiphile and hydrocolloid (when present).
- A dispersion as claimed in claim 13 in which the proportion of water is in the range 60 to 80% by weight.
- A dispersion as claimed in any one of claims 1 to 16 which additionally includes one or more additives selected from lubricants and/or humectants; disperse phase structurants; fillers; pigments; dyes; optical brighteners; perfumes; fragrances; essential oils; water and/or oil soluble vitamins or derivatives or precursors; antioxidants and/or preservatives; pearlescing agents; peeling and/or scrub agents; plant extracts; hydroxy- and/or polyunsaturated acids; phospholipids; proteins and/or amino acids and/or derivatives; electrolytes; natural moisturising factor; foam boosters and/or stabilisers; and sucrose ester derivatives.

- 23 -

- A method of making a stable aqueous foaming surfactant dispersion, which comprises dispersing in water, a preformed substantially uniform solid surfactant composition comprising at least one foaming surfactant, at least one fatty amphiphile and optionally at least one hydrocolloid; in weight proportions to give a composition containing from 5 to 50 weight % of the surfactant composition and from 50 to 95 weight % of water.
- A method of making a stable aqueous foaming surfactant dispersion, which comprises forming an aqueous dispersion of a surfactant composition comprising at least one foaming surfactant, at least one fatty amphiphile and optionally at least one hydrocolloid; and subsequently dispersing therein at least one emollient.
- A method as claimed in either claim 18 or claim 19 in which the pre-formed solid surfactant blend comprises surfactant, fatty amphiphile and hydrocolloid:
- A method as claimed in claim 20 which comprises mixing from 5 to 50 parts by weight of a pre-formed solid surfactant blend, containing surfactant, fatty amphiphile and hydrocolloid, with the emollient, and optionally other components, adding from 50 to 95 parts by weight of water at a temperature of from 60 to 90°C homogenising the mixture to disperse the surfactant blend and emulsify the emollient.
- A method as claimed in claim 20 which comprises dispersing from 5 to 50 parts by weight of a pre-formed solid surfactant blend, containing surfactant, fatty amphiphile and hydrocolloid, in from 50 to 95 parts by weight of water at a temperature of from 60 to 90°C, particularly 70 to 90°C, homogenising the mixture to disperse the surfactant blend and subsequently adding an emollient to the dispersion.
- A method as claimed in claim 20 which comprises adding from 50 to 95 parts by weight of water at a temperature of from 60 to 90°C, particularly 70 to 90°C to from 5 to 50 parts by weight of a pre-formed solid surfactant blend, containing surfactant, fatty amphiphile and hydrocolloid, homogenising the mixture to disperse the surfactant blend and subsequently adding an emollient to the dispersion.

MTW50075/USw

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am an original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) or the subject matter which is claimed and for which a patent is sought on the invention entitled

SURFACTANT COMPOSITIONS

the specification of which

is attached hereto

as filed on

U.S. application Serial No.

was filed as PCT international application

No PCT/GB96/00632 on 19 March 1996

and (if applicable) was amended on

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information which is known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, 119/365 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

Earliest foreign application(s), if any, filed within 12 months prior to this U.S. application

Priority	Details
(Number)	(Coı

GB 4 April 1995 Yes

(04.04.95)

(Number) (Country)

(Day/Month/Year Filed)

9604018.3

27 February 1996

Yes

(27.02.96)

PCT Application Details

(Number)

9506927.4

(Country)

GB

(Day/Month/Year Filed)

PCT/GB96/00632 GB

19 March 1996

(19.03.96)

All foreign applications, if any, filed more than 12 months prior to this U.S. application:

(Number) (Country) (Day/Month/Year Filed) (First published (Date

or laid open) Patented)

(Number) (Country) (Day/Month/Year Filed) (First published (Date

or laid open) Patented)

(Number) (Country) (Day/Month/Year Filed) (First published (Date

or laid open) Patented)

I also wish to note the existence of the following applications, if any, each of which was formally withdrawn prior to the expiration of its convention year, without having been laid open to public inspection and without leaving any rights outstanding, and from which no priority has been or can be claimed.

(Day/Month/Year Filed) (Country) (Number) (Day/Month/Year Filed) (Country) (Number) (Day/Month/Year Filed) (Country) (Number)

I hereby claim the benefit under Title 35, United States Code, 120/365 of any United States application(s) listed below and PCT international applications listed above or below and, if this is a continuation-in-part (CIP application) insofar as the subject matter disclosed and claimed in this application is in addition to that disclosed in such United States application, I acknowledge the duty to disclose all information known to me to be material to patentability as defined Title 37, Code of Federal Regulations, 1.56 which became available between the filing date of each such prior application and the national or PCT international filing date of this application.

Prior US or PCT applications.

(Application Serial No.)(Filing Date) (Status)

(patented, pending, abandoned)

(Application Serial No.) (Filing Date) (Status)

(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true and further that these statements were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such wilful false statements may jeopardise the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith and with the resulting patent:

John M Sheehan

Reg No 26065

Michael R Nagy

Reg No 33132

John F Daniels

Reg No 34314

Send correspondence to:

Patent and Trademark Administrator

ICI Americas Inc.

Law Department

Concord Plaza

3411 Silverside Road

P.O. Box 15391

Wilmington, DE 19850

United States of America

WETZEL, Thierry

Inventor's Signature

Date 22 Sept. 1997

Residence and Post Office Address

106 rue Gallait, B-1030 Brussels, Belgium

Belgian Citizenship

TAELMAN, Marie, Claire, Leona, Hilda

Inventor's Signature

Date 22 Sept. 97

Residence and Post Office Address

Lindestraat 2, B-9790 Wortegem-Petegem, Belgium

Belgian Citizenship

God

United States Patent & Trademark Office

Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

1.	Ap	phication papers are not suitable for scanning and are not in compliance with 37 CFR 1.3.
	bed	cause:
		All sheets must be the same size and either A4 (21 cm x 29.7 cm) or 8-1/2"x 11"
		Pages do not meet these requirements.
		Papers are not flexible, strong, smooth, non-shiny, durable, and white.
		Papers are not typewritten or mechanically printed in permanent ink on one side.
		Papers contain improper margins. Each sheet must have a left margin of at least
		2.5 cm (1") and top, bottom and right margins of at least 2.0 cm (3/4").
		Papers contain hand lettering.
2.	Dra	wings are not in compliance and were not scanned because:
		The drawings or copy of drawings are not suitable for electronic reproduction.
		All drawings sheets are not the same size. Pages must be either A4 (21 cm x 29.7 cm)
		or 8-1/2" x 11".
		Each sheet must include a top and left margin of at least 2.5 cm (1"), a right margin of
		at least 1.5 cm (9/16") and a bottom margin of at least 1.0 cm (3/8").
3.	Pag	e(s) are not of sufficient clarity, contrast and quality for electronic
	rep	roduction.
4.	Pag	e(s) are missing.
_		
٥.	OTE	TER: No Drawings.